This Question Paper contains 4 Printed Pages.

New Syllabus

15E(A)

MATHEMATICS, Paper - I

(English version)

(Parts A and B)

Time : 2 hrs. 45 min.]

[Maximum Marks: 40

Instructions :

- 1. In the time duration of 2 hours 45 minutes, 15 minutes of time is allotted to read and understand the Question paper.
- 2. Answer the Questions under **Part** A on a separate answer book.
- 3. Write the answers to the questions under **Part-B** on the question paper itself and attach it to the answer book of **Part-A**.

Time : 2.15 Hours

Note :

- 1. Answer all the questions from the given three sections I, II and III of **Part-A**.
- 2. In section III, every question has internal choice. Answer any one alternative.

SECTION - I

(Marks: $7 \times 1 = 7$)

Marks: 35

NOTE : (i) Answer **all** the following questions. (ii) Each question carries 1 mark.

- 1. Find the value of $\log_5 125$.
- 2. If $A = \{1, \frac{1}{4}, \frac{1}{9}, \frac{1}{16}, \frac{1}{25}\}$, then write A in Set-builder form.

15E(A)/New D [1]

P.T.O.

- 3. Write an example for a quadratic polynomial that has no zeroes.
- 4. If $b^2 4 ac > 0$ in $ax^2 + bx + c = 0$; then what can you say about roots of the equation ? $(a \neq 0)$
- 5. Find the sum of first 200 natural numbers.
- 6. For what values of m, the pair of equations 3x + my = 10 and 9x + 12y = 30 have a unique solution.
- 7. Find the mid point of the line segment joining the points (-5, 5) and (5, -5)

SECTION - II

 $(Marks: 6 \times 2 = 12)$

NOTE (i) Answer all the following questions. (ii) Each question carries 2 marks.

8. If $x^2 + y^2 = 7xy$;

then show that $2 \log (x + y) = \log x + \log y + 2 \log 3$.

- 9. Length of a rectangle is 5 units more than its breadth. Express its perimeter in polynomial form.
- 10. Measures of sides of a triangle are in Arithmetic Progression. Its perimeter is 30 cm, and the difference between the longest and shortest side is 4 cm; then find the measures of the sides.
- 11. Show that the points A(-3, 3), B(0, 0), C(3, -3) are collinear.

- 12. Solve the following pair of linear equations by Substitution method. 2x - 3y = 19 and 3x - 2y = 21.
- **13.** If $9x^2 + kx + 1 = 0$ has equal roots, find the value of k.

SECTION - III

 $(Marks: 4 \times 4 = 16)$

NOTE:

- 1. Answer all the following questions.
- 2. In this section, every question has internal choice.
- 3. Answer any one alternative.
- 4. Each question carries 4 marks.
- 14. Use Euclid's division lemma to show that the cube of any positive integer is of the form 7m or 7m+1 or 7m+6.

OR

Prove that $\sqrt{2} - 3\sqrt{5}$ is an irrational number.

15. Draw the graph for the polynomial $p(x) = x^2 - 3x + 2$ and find the zeroes from the graph.

OR

Draw the graph for the following pair of linear equations in two variables and find their solution from the graph.

3x - 2y = 2 and 2x + y = 6.

16. Sum of the squares of two consecutive positive even integers is 100; find those numbers by using quadratic equations.

OR

X is a set of factors of 24 and Y is a set of factors of 36, then find sets $X \cup Y$ and $X \cap Y$ by using Venn diagram and comment on the answer.

17. Find the sum of all the three digit numbers, which are divisible by 4.

OR

Find the co-ordinates of the points of trisection of the line segment joining the points (-3, 3) and (3, -3).