AFMC

1. In sponges there is **[AMFC 1985]**
(1) They symmetry is rarial
(2) Present a true coelom
(3) A single exist and a number of mouths
(4) A single mouth and number of exist

2. Miracidium is the larval stage of **[AMFC 1985]**
(1) Tapeworm (2) Roundworm
(3) Pinworm (4) Liver Fluke

3. In insects, oxygen is carried to different tissue by **[AMFC 1985]**
(1) Diffusio through surface
(2) Tracheal tubes
(3) Raspiratory pigment through blood
(4) Gills

4. The excretory structures of flatworms/***Taenia*** are **[AMFC 1987]**
(1) Flame cells (2) Protonephridia
(3) Malpighian tubules (4) Green glands

5. Cephalization is absent in **[AMFC 1989]**
(1) Moluscs (2) Arthopods
(3) Both 1 and 2 (4) Echinoderms

6. Larva of ***Schistosoma*** is **[AMFC 1991]**
(1) Cercaria (2) Planula
(3) Cysticercus (4) Muller's larva

7. A radially summetrical diploblastic animal is **[AMFC 1993]**
(1) Roundworm (2) Earthworm
(3) ***Hydra*** (4) Liver fluke

8. Antedon is a member of class **[AMFC 1993]**
(1) Echinoidea (2) Asteroidea
(3) Crinoidea (4) Ophiuroidea

9. A sponge harmful to oyster industry is **[AMFC 1997]**
(1) ***Spongilla*** (2) ***Euspongia***
(3) ***Hyalonema*** (4) ***Cliona***

ANSWER KEY

Que.	1	2	3	4	5	6	7	8	9
Ans.	**3**	**4**	**2**	**1**	**4**	**1**	**3**	**3**	**4**